

Radix Sort

1. Radix sort, $r=100$

(a) First Pass

Array to sort:

31141	2619	83506	501822	931141	301122
0	1	2	3	4	5

Count array:

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	...	
...	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	...
...	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	...
...	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	...

Temp array:

0	1	2	3	4	5
---	---	---	---	---	---

(b) Second Pass

Count array:

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	...	
...	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	...
...	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	...
...	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	...

Temp array:

0	1	2	3	4	5
---	---	---	---	---	---

(c) Second Pass

Count array:

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	...	
...	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	...
...	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	...
...	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	...

Temp array:

0	1	2	3	4	5
---	---	---	---	---	---

2. (a) How many passes would the sort on the previous page have required using 10 as the radix?

- (b) Did the sort on the previous page require fewer steps using a 100 as the radix instead of 10?

- (c) Under what circumstances would our sort be faster using a radix of 100 rather than a radix of 10?