

CS444 Search Exercise

1. DFS Exercise

- Open the AISpace search tool.
- Load the “Extended Tree Graph” problem:
File → Load Sample Problem → Extended Tree Graph
- Open the “Solve” tab.
- Select “Depth First Search” from the “Search Options” menu.
- Step through the search using the “Fine Step” button.
 - Can you anticipate which node will be chosen from the frontier?
 - What is the largest number of nodes that end up on the frontier during the search?
 - In general, if the average forward branching factor is b , and the length of the search path is d how many nodes may end up on the frontier at any given time?

2. BFS Exercise

- Repeat the previous steps using breadth-first search answering all questions as you go.
- Which algorithm used more space for the frontier during the search?


3. DFS and Loops

- Open the “Create” tab.
- Add an edge from $N4$ to S .
- Run a depth-first search on the resulting graph.
- Enable multi-path pruning and repeat the search.

4. DFS vs BFS

- Remove the edge from $N4$ to S .
- Add an edge from $N20$ to $N2$.
- Search using DFS and BFS. Do they find the same path?

The next three questions refer to the following state transition graph:



For each question assume that A is the start state, E is the goal state, and each action has a cost of 1. Complete each search using multiple-path pruning.

5. **DFS by Hand**

Fill in the following table by tracing the execution of a depth-first search of the graph above. (Assume that when a node is expanded, its children are added to the frontier in alphabetical order.)

Iteration #	Frontier	Explored
1.	A	-
2.		
3.		
4.		
5.		
6.		
7.		
8.		
9.		
10.		

6. BFS by Hand


Fill in the following table by tracing the execution of a breadth-first search of the graph above. (Assume that when a node is expanded, its children are added to the frontier in alphabetical order.)

Iteration #	Frontier	Explored
1.	A	-
2.		
3.		
4.		
5.		
6.		
7.		
8.		
9.		
10.		

7. It turns out that both searches considered above find the optimal solution to this problem. Modify the graph to create a new problem that causes DFS to find a non-optimal solution. Will BFS find the optimal solution for this new problem?


8. Dungeon Adventure #1

Use the AISpace search tool to create a graph representation of the following maze navigation problem:



In this maze it is possible for the agent to move between any two adjacent rooms unless they are blocked by a wall. Assume that *A* is the start state and *D* is the end state. Once you have completed your graph, use BFS or DFS to find a solution.

9. **Dungeon Adventure #2** Modify your graph from the previous exercise to represent the fact that there is a key at position *H* that must be collected before the agent can exit the maze:



Assume that picking up the key requires an action and the key cannot be dropped once it is picked up.

Use DFS or BFS to find a solution.

How many states would this problem have if the key can be dropped in any room after it has been picked up?